

LIVALL

BH&MT

智能骑行头盔

快速入门指南

中


繁

EN

www.livall.com

一. 简介

欢迎使用 LIVALL 智能骑行头盔，本指南会指引您如何开始使用本产品。本公司遵循可持续发展的策略，本手册会不定期更新，如果您需要更详细的操作说明，请查看附件中“重要信息及保修卡”。您还可以在 LIVALL 官方网站上了解头盔的更多信息。



温馨提示：1. 本图片仅供参考，如实物外形与图片不同，请以实物为准。2. 在本手册中使用的主控为左右键，但仍有产品主控为加减键（与左右键同样功能），具体参照后面的功能步骤描述。

二. 包装清单 (个别型号因产品配置原因闪控为选配，如需知详情请咨询官网客服或当地经销商)

闪盔 : 1 个

快速入门指南 : 1 份

闪控 : 1 个

磁吸式 USB 充电线 : 1 条

重要信息和保修卡 : 1 份


三. 佩戴说明



四. 操作说明

(使用前请充电。个别型号的头盔不配备蓝牙音箱。无蓝牙音箱的头盔没有接打电话，听音乐和语音提示等功能。)


开机



长按“□”功能键 3-5 秒。




听到“POWER ON/ 开机”提示音。
(无蓝牙音箱的头盔无此提示音。)




尾灯橙色闪烁 2 次，开机成功。

提示音切换 (默认为英语)

若需切换提示音语言,请在开机未连接手机状态下执行以下操作(目前只支持英文和中文两种语言)。



先按住“<”按键。



再单按“>”循环切换语言。

首次连接或更换装备 (闪控按键功能请结合头盔的具体功能使用。)

一个头盔最多支持同时连接3个LIVALL授权的装备。若连接闪控后,按闪控的“左”或“右”键可以控制头盔的转向灯。




开启装备,装备与头盔距离在5米内,会自动连接到头盔。




连接成功后头盔会出现“嘀、嘀”的提示音。(无蓝牙音箱的头盔无此提示音。请通过查看尾灯来判断头盔是否连接成功。)

1. 首次连接 ▽


2. 更换装备 ▽



将开启的装备靠近头盔的主控。




警示灯出现1秒/次的闪烁,头盔音箱发出“嘀、嘀”的声音,表示有装备需要接入头盔。(无蓝牙音箱的头盔无此提示音。)



10秒内,按头盔的“□”,确认连接该装备。按闪控的左右转向灯时,可见尾部转向灯光。


连接手机 (温馨提示:连接后可控制播放音乐和接打电话。为保障连接信号的稳定性,请尽量将手机放在身体前方。)



关机状态下,长按“□”直到听到“进入配对模式”后松开。



打开手机蓝牙并扫描到“Helmet Headset”设备。



点击进行连接,连接成功后,会提示“已连接”。

连接完成后,播放音乐和接打电话的功能操作如下:

- 播放 / 暂停音乐: 单按头盔或闪控的“□”表示播放\暂停音乐。
- 调节音量: 在语音、通话或音乐播放时,单按头盔的“>、<”键可以调节音箱音量。
- 上一曲 / 下一曲: 单按闪控的“上 / 下”键或长按头盔的“>、<”键可以切换音乐。
- 接听 / 拒绝来电: 来电话时,闪控或头盔的“□”键单按表示接听,长按表示挂断。
- 回拨电话: 快速按 2 次闪控或头盔的“□”键,即回拨手机通话记录中最后一个拨出的号码

连接“来啊骑行”手机应用
(可以实现一键对讲和拍照功能)




Android: 启动“来啊骑行”手机应用,会自动连接头盔;




IOS: 需要根据“来啊骑行”手机应用的指引进行连接头盔。

只有连接成功后,才可实现 SOS 摔倒求救、通过 APP 控制预警灯等功能。


关机



长按“□”功能键3秒。




听到“关机”提示音。(无蓝牙音箱的头盔无此提示音。)




尾灯橙色闪烁1次后熄灭，关机成功。

充电




开始充电：

使用USB线，插入头盔的USB接口，尾部充电指示灯亮起红色表示开始充电。



充电时间：

充电器电流建议 $\geq 0.5A$ ，充电时间大约3小时。



充电完成：

充电过程中，充电指示灯由亮转为灭表示充电完成。

五. 注意事项

- 1、头盔内含电子功能，有短时间防淋溅雨水的功能，请不要长期在下雨环境骑行。
- 2、头盔淋雨后，尾部警示灯罩内可能会出现水珠，请将头盔放在通风环境下 1-2 天，水珠会自动消除。
- 3、头盔内含 3.7V/600mAh 的电池，电池的容量会随温度变化而改变，在低温或低于 0 摄氏度环境使用时，产品的续航时间可能会不同程度衰减。
- 4、禁止用金属或坚硬工具清洁充电接口金色触点，如刀片、镊子等；如果需清洁请用棉签加清水或酒精擦拭。充电时，请保持充电口清洁，干燥。
- 5、如果出现电子功能无法使用或异常，请充电 3 小时后再继续尝试。
- 6、★头盔内含撞击检测装置，只有提前连接到“来啊骑行”APP 并且开启骑行，头盔受到严重撞击后，您在“来啊骑行”APP 中设置的“紧急联系人”才会收到求救信息。

六. 技术规格

- 蓝牙： BT 4.1 + HFP/HSP/A2DP
- 蓝牙距离： 最大 10 米
- 充电接口： 磁吸式 USB
- 电气参数： DC 5V/0.5A
- 充电时间： 3 小时
- 续航时间： 警示灯最大续航 10 小时，播放音乐 3-6 小时
- 待机时间： 最长 180 天
- 温度： 使用温度 0°C ~40°C，建议储存温度 -20~45°C




LIVALL Riding APP

-
- LIVALL 官方网站： www.livall.com
- 执行标准： 中国 GB24429:2Q009

一、簡介

歡迎使用 LIVALL 智慧型自行車頭盔，本指南將引導您如何開始使用本產品。本公司遵循永續經營策略，因此將不定期更新本手冊，若您需要更詳細的操作說明，請查看附件中「重要資訊及保固卡」。您還可以在 LIVALL 官方網站上找到有關頭盔的更多資訊。



提示：1. 本圖片僅供參考，如實物與圖片不同，請以實物為準。2. 在本手冊中使用的主控為左右鍵，但仍有產品主控為加減鍵（與左右鍵同樣功能），具體參照後面的功能步驟描述。

二、包裝清單 (個別型號因產品配置原因閃控為選配，如需知詳情請諮詢官網客服或當地經銷商)

閃盔：1 個

快速入門指南：1 份

閃控：1 個

磁吸式 USB 充電線：1 條

重要資訊和保固卡：1 份

三. 佩戴說明



四. 操作說明

(使用前請充電。個別型號的頭盔不配備藍牙音箱。無藍牙音箱的頭盔沒有接打電話、聽音樂和語音提示等功能。)

開機




長按「□」功能鍵 3 至 5 秒

聽到「POWER ON/ 開機」提示音
(無藍牙音箱的頭盔無此提示音。)


尾燈橙色閃爍 2 次。開機成功。

提示音切換 (預設為英語)

若需切換提示音語言，請在開機未連接手機狀態下執行以下操作 (目前只支援英文和中文兩種語言)。



先按住「<」按鍵




再單按「>」循環切換

首次連接或更換設備


一個頭盔最多支援同時連接 3 個 LIVALL 授權設備。若連接閃控後，按閃控的「左」或「右」鍵可以控制頭盔的方向燈。

1. 首次連接 ▸



2. 更換設備 ▾



將開啟的設備靠近頭盔的主控。




警示燈每秒閃爍 1 次，頭盔喇叭發出「嘀、嘀」的聲音，表示有設備需要連接頭盔。(無藍牙音箱的頭盔無此提示音。)



10 秒內，按下頭盔的「□」，確認連接該設備。按閃控的左右轉向鍵時，可見尾部轉向燈光。


連接手機 (溫馨提示:連接後可控制播放音樂和接打電話。為保障連接訊號的穩定性,請儘量將手機放在身體前方。)



關機狀態下,長按「□」,直到聽到「進入配對模式」後鬆開。



開啟手機藍牙,並掃描「Helmet Headset」設備。



按一下進行連接,連接成功後,會提示「已連接」。

連接完成後,播放音樂和接打電話的功能操作如下:

- 播放 / 暫停音樂: 單按頭盔或閃控的「□」表示播放\暫停音樂。
- 調整音量: 在語音、通話或音樂播放時,單按頭盔的「>、<」鍵可調整喇叭音量。
- 上一曲 / 下一曲: 單按閃控的「上 / 下」鍵或長按頭盔的「>、<」鍵可以切換音樂。
- 接聽 / 拒絕來電: 有來電時,閃控或頭盔的「□」鍵單按表示接聽,長按表示掛斷。
- 回撥電話: 快速按 2 次閃控或頭盔的「□」鍵,即可回撥手機通話記錄中最後一個撥出的號碼

連接「來啊騎行」手機應用
(可進行單鍵對講和拍照功能)




Android: 啟動「來啊騎行」手機應用程式,將自動連接頭盔。




iOS: 需要根據「來啊騎行」手機應用程式的指引,以連接頭盔。

只有連接成功後,才可實現 SOS 摔倒求救、通過 APP 控制預警燈等功能。


關機



長按「□」功能鍵 3 秒。




聽到「關機」提示音。(無藍牙音箱的頭盔無此提示音。)




尾燈橙色閃爍 1 次後熄滅，關機成功。

充電




開始充電：

使用 USB 線，插入頭盔的 USB 介面，尾部充電指示燈亮起紅色表示開始充電。



充電時間：

充電器電流建議 $\geq 0.5A$ ，充電時間大約 3 小時。



充電完成：

充電過程中，充電指示燈由亮轉為滅表示充電完成。

五. 注意事項

1. 頭盔內含電子功能，有短時間防淋濺雨水的功能，請不要長期在下雨環境騎行。
2. 頭盔淋雨後，尾部警示燈罩內可能會出現水珠，請將頭盔放在通風環境下 1-2 天，水珠會自動消除。
3. 頭盔內含 3.7V/600mAh 的電池，電池的容量會隨溫度變化而改變，在低溫或低於 0 攝氏度環境使用時，產品的續航時間可能會不同程度衰減。
4. 禁止用金屬或堅硬工具清潔充電介面金色觸點，如刀片、鑷子等；如果需清潔請用棉簽加清水或酒精擦拭。充電時，請保持充電口清潔，乾燥。
5. 如果出現電子功能無法使用或異常，請充電 3 小時後再繼續嘗試。
6. ★頭盔內含撞擊檢測裝置，只有提前連接到“來啊騎行”APP 並且開啟騎行，頭盔受到嚴重撞擊後，您在“來啊騎行”APP 中設置的“緊急聯繫人”才會收到求救信息。

LIVALL 官方網站：www.livall.com

執行標準：

- 美國： CPSC1203: 1998、FCC Part 15 Rules
- 歐洲： EN 62479:2010、EN 301 489-1 V1.9.2 (2011-09)、EN 301 489-17 V2.2.1 (2012-09)
EN 300 328 V1.8.1 2012-06、EN 60950-1:2006+A11:2009+A1:2010+A12:2011
- 紐西蘭、澳洲： AS/NZS 2063:2008+A1:2009、AS/NZS CISPR 22:2009+A1:2010、AS/NZS 4268: 2012+A1: 2013、Radiation Protection Series Publication No. 3

六. 技術規格

藍牙：	BT 4.1 + HFP/HSP/A2DP
藍牙距離：	最遠 10 米
充電介面：	磁吸式 USB
電氣參數：	DC 5V/0.5A
充電時間：	3 小時
續航時間：	警示燈最大續航 10 小時， 播放音樂 3-6 小時
待機時間：	最長 180 天
溫度：	使用溫度 0°C ~40°C， 建議儲存溫度 -20~45°C





LIVALL Riding APP



LIVALL ON FACEBOOK

I. Introduction

Thank you for choosing the LIVALL Smart Helmet. This Guide will instruct you on how to use this product. LIVALL follows the strategy of sustainable development. This Manual will be updated from time to time. If you need more detailed instructions, please see the "Important Information and Warranty Card" annex. You can also learn more about the helmet on LIVALL's official website.



Note: 1. The picture is for reference only. If the actual product appears different from the picture, the real product shall prevail. 2. Due to different version, some control unit use "<" and ">" buttons, some may use "+" and "-" buttons, both represent the same function.

II. Packing List (A few models are not equipped with remote controller due to different configurations of the products.)

Helmet x 1 Quick Start Guide x 1

Bling remote controller x 1

Magnet USB charging cable x 1

Important Information and Warranty Card x 1

III. Wearing Instructions



Incorrect



Incorrect



Correct



Adjust the length of the chinstrap



Leave a gap as thick as one finger



Correctly position the helmet




Check whether the buckle is properly fastened


IV. Operating Instructions

(Please charge the battery before use. Some models of helmets are not equipped with Bluetooth speakers. The helmets without Bluetooth speakers could not take & make calls, listen to music and hear voice prompts.)


Start-Up



Press the "□" button for 3-to-5 seconds



You will hear a voice saying "POWER ON". *(The helmets without Bluetooth speakers could not hear such voice prompts.)*




The orange tail light will blink twice indicating Start-Up was successful.


Change the language of the voice prompt

(the default language is English)

To switch the language of the voice prompt, follow the procedure below when in normal standby mode and disconnected from a phone (currently only English and Chinese are supported).



First hold the "<" button




Then press the ">" button to switch between languages.

Connecting for the first time or switching devices


One helmet can be connected to up to three LIVALL-authorized devices at the same time. After the handlebar remote control is connected, press the "left" or "right" button to control the helmet's corresponding indicator light.

(Please refer to specific functions of the helmet when using the remote controller keys.)

1. Connecting for the first time




Turn on the device, which should be within 5 meters of the helmet. It will automatically connect the helmet.




After the connection is established, it will be confirmed with two "beeps". *(The helmets without Bluetooth speakers could not hear such voice prompts. Please check the taillight to see if the helmet is connected successfully.)*


2. Replacing device



Place a device that is already ON near the helmet's main control.




When the warning light flashes and the helmet speakers emit two "beeps", it indicates that there is a device nearby requiring connection to the helmet. *(The helmets without Bluetooth speakers could not hear such voice prompts.)*



Press the "□" button on the helmet within 10 seconds after you hear the beeps and confirm connection to the device. When pressing the arrow left or right key on the bling jet remote, the right or left turning signal appears.


Connect to the phone (Tip: Once connected, it can control the music player as well as make and receive calls. To ensure the stability of the connection, please try to position your mobile phone in front of you.)



When the device is off, press and hold the "□" button until you hear the "Pairing..." sound.



Switch on the Bluetooth on your phone and scan for the "Helmet Headset" device.



Click to connect. The speakers on both sides will make the "Connected" sound when the connection is completed.

After the connection is completed, you can play music as well as make and answer calls as follows

To Play/Pause Music: **Press the "□" button on the helmet or the handlebar remote control to play/pause music.**

Adjust Volume: **When calls are made or music is played, press the ">/<" buttons on the helmet to adjust the speaker volume.**

Previous Song/Next Song: **Press the "up/down" buttons on the handlebar remote control or press and hold ">/<" buttons on the helmet to cycle through the music.**

Answer/Reject Calls: **When there's an incoming call, press the "□" button to answer the call or press and hold to hang up.**

Dial Back: **Two quick presses of the "□" button on the handlebar remote control or helmet to redial the last outgoing call.**

Connect LIVALL Riding phone App
(for use the Walkie-Talkie function and take photos)




For Android: Start LIVALL Riding. The App will automatically connect to the helmet;




For IOS: Follow LIVALL Riding guide to connect to the helmet.

Only if the helmet is successfully connected to LIVALL APP, SOS alert feature and LED light indicators can work.

Power Off



Press and hold the " □ " function button for 3 seconds.




You will hear "POWER OFF".
(The helmets without Bluetooth speakers could not hear such voice prompts.)




The tail light will flash once in orange indicating the helmet is POWERED OFF.

Charging




To charge

Plug the USB charging cable into the USB port on the helmet. The tail charging light is illuminated in red, indicating that the helmet is being charged.



Charging time

It is recommended that the power of the charger is no less than 0.5A. Charging time takes about 3 hours.



Charging complete

When the charging indicator light turns off, it indicates that charging is complete.

V. Considerations

1. The helmet contains electronic parts inside. Please do not take a long ride in the rain although the helmet can prevent the rain from splashing.
2. After the helmet gets wet in the rain, the water droplets might occur in the chimney of tail LED lights. The water droplets will disappear when you put the helmet under the ventilation environment for 1-2 days.
3. The helmet contains the battery of 3.7V/600mAh. The battery capacity varies with temperature change. The battery life can decay when the helmet is used at low temperatures or below Zero degrees Celsius.
4. Trying to clean the golden colour contacts of the charging plug sheet with metal or hard tools such as blades or tweezers is strictly forbidden. Please use cotton swabs with clean water or alcohol in case of cleaning. Please make sure the charging plug is clean and try while charging the helmet.

5. If the electronic functions do not work, please charge the helmet for 3 hours and then check if it works normally.
6. ★The helmet contains impact detection devices. Only if you connect your helmet with LIVALL APP, start ride mode on the APP and your helmet suffers from the heavy impact, SOS alert feature can be triggered. Your emergency contacts set on LIVALL APP can accordingly receive your SOS messages.

VI. Technical Specifications

Bluetooth :	BT 4.1 + HFP/HSP/A2DP
Bluetooth distance :	Max. 10 meters
Charging port :	Magnet USB Charging cable
Electricity parameter :	DC 5V/0.5A
Charging time :	3 hours
Battery life :	The max. battery life of the light is 10 hours. Listening time for music is 3-to-6 hours.
Standby duration:	Max. 180 days
Temperature :	Temperature for use: 0°C~40°C. Recommended temperature for storage : -20~45°C
LIVALL's website :	www.livall.com

Performance standards:

- **USA:** CPSC1203:1998, FCC Part 15 Rules
- **Europe:** EN 62479:2010, EN 301 489-1 V1.9.2 (2011-09), EN 301 489-17 V2.2.1 (2012-09), EN 300 328 V1.8.1 2012-06, EN 60950-1:2006+A11:2009+A1:2010+A12:2011
- **Australia:** AS/NZS 2063:2008+A1:2009, AS/NZS CISPR 22:2009+A1:2010, AS/NZS 4268: 2012+A1:2013, Radiation Protection Series Publication No. 3



LIVALL Riding APP



LIVALL ON FACEBOOK

- That the helmet can only protect if it fits well and that the buyer should try different sizes and choose the size which feels secure and comfortable on the head.
- That the helmet should be adjusted to fit the user e.g. the straps positioned so that they do not cover the ears, the buckle positioned away from the jawbone and the straps and buckle adjusted to be both comfortable and firm.
- How the helmet should be position on the head to ensure the intended protection is provided (e.g. that it should be placed so as to protect the forehead and not be pushed too far over the back of the head.
- That a helmet cannot always protect against injury.
- That a helmet subjected to a severe impact should be discarded and destroyed.
- A statement of the danger of modifying or removing any of the original component parts of the helmet other than as recommended by the manufacturer, and that helmets should not be adapted for the purpose of fitting accessories in a way not recommended by the manufacturer



设计制造·中国深圳

LIVALL
RIDE DIFFERENT



LIVALL HELP CENTER

BH6X-QA-V2.1